

Peter Gibson, Reg. #34,605
6316 Greenspring Avenue, #307
Baltimore, Maryland 21209

Commissioner of Patents and Trademarks
Washington, DC 20231

In the United States Patent and Trademark Office

April 6, 2000

Dear Sir/Madam,

Please file the enclosed Application for Patent entitled "Containerized Liquid Coating Product Supply Business Method" in the name of John L. Howes comprised of the following:

- (1) A check in the amount of \$601.00 in payment of:
 - (a) 37 CFR 1.116(a) Small Entity Basic Filing Fee (\$345);
 - (b) 37 CFR 1.15(c) Fee for 14 Claims In Excess of 20 (14 x \$9 = \$126);
 - (c) 37 CFR 1.17(i) Filing Fee for a Petition to Make Special (\$130);
 - (2) Letter of Transmittal on: 1 sheet;
Power of Attorney on: 1 sheet;
Assignment on: 1 sheet;
Title Sheet on: 1 sheet;
Reference to Prior Application on: 1 sheet;
Background of the Invention on: 9 sheets;
Summary of the Invention on: 7 sheets;
Brief Description of the Drawings and Nomenclature on: 3 sheets;
Detailed Description on: 10 sheets;
Claims (1 independent, 34 total) on: 6 sheets;
Abstract of the Disclosure on: 1 sheet;
Executed Declaration on: 1 sheet;
Small Entity Declaration on: 1 sheet;
Drawings, 5 sheets, in duplicate on: 10 sheets;
Petition To Make Special on: 10 sheets;
- Total: (1) cheque and 63 Sheets.

Thank you for your service,

Respectfully Yours,

Peter Gibson, Reg. #34,605

Peter Gibson, Registration #34,605
Tel 410/358-5912; Fax 410/358-9636



09543764-040500

In the United States Patent and Trademark Office


Applicant: John L. Howes
Title: Containerized Liquid Coating Product Supply Business Method


Small Entity Declaration - Independent Inventor

I, John L. Howes, sole inventor, hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees under 35 USC 41(a) & (b), to the PTO with regard to my above identified invention described in the specification filed herewith. I have not assigned, granted, conveyed, or licensed, and am not under any obligation under any contract or law to assign, grant, convey or license, any rights in the invention to any entity which would not qualify as a small entity.

I acknowledge a duty to file, in the above application for patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Title 18 USC 1001, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.


John L. Howes


dated

Containerized Liquid Coating Product Supply Business Method

An Application for Utility Patent filed

IN THE UNITED STATES PATENT OFFICE

on the behalf of the Inventor:

John L. Howes

Citizen of the United States of America,

Resident of Grosse Pointe Woods, Michigan

Further possessing as legal residential and postal address:

19967 Doyle Place East
Grosse Pointe Woods, MI 48236

005040-192E1560

John L. Howes

Containerized Liquid Coating Product
Direct Supply Business Method

6 April 2000

Reference to Prior Application

Benefit of the earlier filing date of Provisional Application Number 60/157,840, filed 6 October 1999 in the name of John L. Howes, is hereby claimed for the instant application for patent which claims the invention disclosed in said provisional application for patent.

BACKGROUND OF THE INVENTION

Field of the Invention

The instant invention relates: generally to containerized liquid coatings such as paints, primers, stains, et cetera; more particularly to a business method encompassing the entire process by which such product may be selected, ordered, and obtained by a customer and how orders so placed may be fulfilled; most particularly to such a business method wherein electronic information transfer is facilitated by internet utilization and electronic information is processed in the receipt of an order.

General Background

Liquid coatings such as paints, primers, stains, varnishes, et cetera, are considered to be characterized by a diverse constituency including a combination of liquid colorant in addition to a base of appreciable viscosity typically greater than the viscosity of the colorant. It is further considered that for this reason such liquid coatings are ubiquitously contained in rigid cylindrical metal containers, hereinafter referred to as paint cans, possessing large metal lids which require prying off and allow resealing so that colorant may be added by a local retailer and the paint can then be shaken on a machine to attain thorough mixing and fulfillment of the order placed by a customer who typically waits while the addition of colorant and/or mixing of the product is effected. It is important that the colorant be thoroughly mixed with the base and this requires a specialized machine which is specific to mixing the contents of paint cans and which the customer generally lacks.

The cans in which liquid coatings of this type are available are standardized. Generally only gallons, quarts, and less commonly, pints, are utilized for paint cans in the United States. Five gallon plastic pails are also known for use in containerizing liquid coatings such as paint, primer, stains and varnish as well as more viscous materials such as mastic and other adhesive

compounds. These five gallon plastic pails are rigid and generally cylindrical, with a slight sidewall draft angle to facilitate molding, and further possess a large top lid which is resealable.

The unit cost of the liquid coating product varies with respect to standard volume purchased. And it is also considered that as colorant is added to the base in the paint can by the retailer there is a considerable margin of error and, in the interest of having precisely the same color paint for a given room, for example, which may only require two quarts of paint, it is generally considered a good idea to buy a full gallon instead because it will all be the same color and there will be no chance that the two different cans will possess an appreciably different color, tone, or shade.

The difference in unit price between standard volumes further encourages purchase of a single can or pail of paint of greater volume than required. Three quarts often exceed the price of a gallon of the same paint and this observation is taken to indicate a certain set of circumstances relating to the manufacture, distribution, and sales of liquid coatings of this type. A certain fixed cost in containerizing and handling a single unit regardless of size is recognized which argues for the use of larger containers as being more economic. It is further recognized that manufacturer, distributor, and retailer all have an economic reason for using as few standard volume containers as possible which is compounded by the fact that a local retailer must mix the liquid coating for the customer.

It is also noted that the distribution system for liquid coating product which may have colorant added by a local retailer necessarily involves shipment of product in paint cans or five gallon plastic pails by the manufacturer to the local retailer. A distributor intermediary to the manufacturer and local retailers may additionally be involved in which case inventory is carried by three parties prior to purchase by a customer. Most importantly, however, the customer must visit a local retailer in order to purchase the can(s) of paint and typically must wait for the paint to be mixed after colorant is added as discussed above. If the customer is a contractor this generally entails a visit to the local retailer prior to driving over to the work site and the trip there and the

wait while the paint is made up is time lost. The tendency to purchase more paint than necessary for a given job resulting from the use of standard volumes and the pricing for the same combined with the desire to ensure that all the paint will have the same color, tone, and shade is further encouraged by the desire to avoid a second trip back to get more paint if an insufficient amount was picked up the first time.

Discussion of the Prior Art

The prior art considered most pertinent to the instant invention is comprised of the web sites or home pages currently accessible on the internet advertising paint product made by different manufacturers including PPG, Sherwin-Williams, and Kelly-Moore. All three sites offer digital assistance in product selection, color selection, calculation of volume required as determined by the size of the surface to be covered, and store selection. The customer can review information regarding the paint base, review color swatches, input dimensions defining the area to be covered, and input an address which will yield the closest retailer to the address inputted. While a comparatively larger number of other types of 'e-commerce' are known, none specifically address liquid coatings such as paint except for the web sites representing paint manufacturers.

With regard to use of digital processing in control of mixing colorant with base to achieve a given color U.S. Patent #4,887,217 issued 12 December 1989 to The Sherwin-Williams Company is considered exemplary of the known prior art. The process disclosed therein utilizes an index for the difference in color between wet and dry conditions which is considered a well known and fundamental impediment to achieving duplication of a particular shade desired. The wet paint may look right to the customer but when dry the shade changes and the result is frequently unsatisfactory. The process disclosed determines correction factors from readings by a spectrophotometer or colorimeter of the wet paint during manufacture using an index for correlating the wet and dry states with regard to color, tone, and shade. The process, however, is "for the manufacture of paint to match the color of a standard paint within a specified color tolerance" (Claim 1) and is not applicable to the retailer attempting to duplicate the color on a dry

swatch of previously mixed paint.

Other U.S. Patents which cite U.S. Patent #4,887,217 include U.S. 5,723,517 & 5,559,173 both entitled 'System For Controlling The Color Of Compounded Polymer(s) Using In-Process Color Measurements', U.S. 5,550,746 for a 'Method And Apparatus for Storing And Selectively Retrieving Product Data By Correlating Customer Selection Criteria With Optimum Product Designs Based on Embedded Expert Judgement', and U.S. 5,371,599 for a 'Rapid Color Shading Process'.

U.S. Patent #5,268,849 for 'Process and Apparatus For Dispensing Liquid Colorants Into A Paint Can, And Quality Control Therefor' also cites U.S. Patent #4,887,217 and concerns the manufacture of paint, not the addition of colorants by a retailer. This patent discloses an "automated paint-batching system" with at least one dispensing station including a scale which measures the weight of the paint can and contents therein during dispensing of either colorant or base. Each paint can further has a "bar-code label" "attached to it" (Abstract) which is correlated to an address in computer memory "which stores the color-formula for that can and other information" which is understood to refer to the formula used in making the paint held by the can so identified. Computer processing is further utilized in tracking the paint can through "paint-batching cells of the system" wherein bar codes are read "at a plurality of stations along the entire manufacturing process."

In addition to the use of a bar code and computer memory for tracking paint cans and the paint therein during manufacture, U.S. Patent #5,268,849 further claims a "method of automating the production of paint in paint cans", including the step of "placing an order for a paint can of specified size and paint-color at a remote location" in which it is presumed that the order actually pertains to a specified volume and color of paint held in a paint can (claim 19). Other steps involve "emplacing the bar-code on the empty paint transported" wherein it is assumed that the word 'can' was inadvertently omitted in between "paint" and "transported" and "conveying the empty paint can from said bar-code reader-station to one of a plurality of paint-batching cells"

which step is "controlled by said operations-control computer, and comprising choosing said one cell of the plurality of cells to which that empty paint (can) is to be conveyed."

Lastly, with regard to the disclosure of U.S. Patent #5,268,849, the Abstract therefor states that the system is "for producing paint cans of any size and color" wherein, again, it is assumed that the color and production pertains to the paint placed in cans, not to the color or production of the cans. A similar interpretation is applicable to the phrase 'any size and color'. Obviously cans exceeding the size of the manufacturing plant concerned are not feasible and actually 'any size' paint can means any standard size paint can, i.e. gallons, quarts, pints.

Similarly, the phrase 'any color' is understood to mean any standard color for manufacture which is much different than any color as available from a retailer who takes a can of paint of standard color from a manufacturer and customizes the paint with the addition of colorant in accordance with a formula. The difference between the two is considered essential. The manufacturer is only concerned with standard colors which necessarily require further customization to achieve an approximation of the color selected by a customer. The customer for the manufacturer comprises local retailers or distributors intermediary to the manufacturer and the local retailers. The true or final customer, i.e. the consumer, buys from a local retailer who has only a very limited number of standard colors which comprise the base to which colorants are added and mixed in order to obtain any of the hundreds of colors typically comprising the selection available to the consumer.

For the manufacturer of paint the base is comprised of liquid binder and liquid solvent to which colorant is added to achieve a standard color with a given type of base, e.g. water or oil, flat or gloss. For the local retailer the standard color paint available from the manufacturer is effectively a base to which additional colorants must be added in order to achieve approximation of the precise color specified by a customer. The customer typically selects a particular, non-standard, color from swatches provided by the manufacturer through the local retailer who adds colorants in the proportions specified by the manufacturer. But it is considered a misnomer to

refer to 'any color' or 'any size can' with regard to manufacture without recognition of actual practice and the constraints imposed by the same whereby standard colors and standard volumes are mandatory.

U.S. Patent #5,083,591 for 'Process and Apparatus For Dispensing Liquid Colorants Into A Paint Can, And Quality Control Therefor' is a divisional result of the application resulting in the patent of the same title discussed at length above which possesses the following as a base claim:

A method for formulating paint by dispensing paint ingredients into a paint can, in an apparatus comprising a first tint-dispensing station storing various liquid colorants for dispensing thereat, and a second base-dispensing station storing liquid base for dispensing thereat, said method comprising:

- (a) conveying a paint can to a first tint-dispensing station;
- (b) dispensing a prewetting amount of liquid base at the first tint-dispensing station;
- (c) after said (b) step, dispensing liquid colorants, one at a time, at said first tint-dispensing station making up the formula of the color of the pint for the paint can;
- (d) after said step (c), conveying the partially-filled paint can to a second base-dispensing station;
- (e) dispensing the remaining volume of liquid base of the particular formula for the respective paint can at the second base-dispensing station;
- (f) thereafter, conveying the paint can from the second base-dispensing station.

U.S. Patent 4,967,938 for 'Paint Dispensing Apparatus' makes a similar disclosure which "comprises a plurality of container assemblies mounted for indexing" by a "dispensing station" which includes apparatus for actuating meters and valves in the assemblies thereby controlling the automatic dispensing of "metered colorants into passing containers (holding) paint base material, according to formulae stored in the apparatus." (Abstract)

U.S. Patent #5,153,825 for 'Paint Formula Retrieval And Management System And Method' "presents a ruled scale representation of actual sizes on a display, including a bar portion" moved to select "the desired paint size" which further possesses the capability of storing "multiple variants of a formula" and reporting "the previous day's paint usage" (Abstract).

The state of the art currently with regard to the mixing of colorant with base to achieve a paint of a particular color, tone, and shade in accordance with known formulae is considered to be found in the Pantone™ system which is similar to other commercially available systems which identify a large number of colors by a number or code which is correlated to a colorant formula. It is considered that regardless of the system utilized for dispensing colorant for mixing with base in production of standard colors, subsequent colorant dispensement by the local retailer is required in order to achieve a particular color selected by a customer, and the best known means for this is through use of a Pantone™ or equivalent system together with appropriate dispensing equipment which is essentially comprised of at least three nozzles through which metered amounts of a colorant are expelled directly into the standard color paint contained by an open paint can or pail.

With regard to bridging the gap between customer and manufacturer with computer processing and the electronic transfer of information attention to terminology and the applicable context is also emphasized. For example U.S. Patent #5,463,555 for a 'System and Method For Integrating A Business Environment With A Process Control Environment' claims:

A computer-based system for integrating a computerized business system with a computerized manufacturing process, wherein the computerized business system creates a work order containing data specifying a product to be manufactured by the computerized manufacturing system, comprising:

a business systems interface configured to receive the work order from the computerized business system and to extract the data from the received work order; and

an event response processor coupled to said business system interface and configured to apply at least one rule to said extracted data to generate one or more setpoints, and to provide said one or more setpoints to the computerized manufacturing system, wherein said one or more setpoints are manufacturing process settings used to manufacture the product. (Claim 1)

wherein it must be recognized that when the "computerized business system creates a work order" this event must be triggered by another action which, at some point, must be a human action or else the entire system is autonomous and is of no relation and no use to the world of human beings. The essential point requiring recognition is the fact that the 'work order' must be the result of a previous human action but that the system disclosed is unconcerned with anything proceeding the computer generation of the work order which is therefore not to be confused with a customer order which is wholly beyond the confines of the system disclosed therein.

Customer orders, in contrast, may be placed with various entities by accessing and utilizing an appropriate web site on the internet. Dell Computer, for example, has achieved substantial commercial success by essentially manufacturing to order computers with features specified by a customer over the internet on a 'visit' to an appropriate web site. Various features are specified from a menu and one of a plurality of options for each feature may be specified. A total price is readily generated by the software after sufficient specification by the on-line customer and an order with Dell readily placed. Payment is made by credit card and the computer, or computer system including peripherals such as a monitor, printer, et cetera, is shipped to the address provided by the customer.

Statement of Need

While various systems, as described above, are known which enable:

- (a) specification and ordering of non-paint product such as computers;
- (b) computer automated manufacture of standard paints;
- (c) addition of colorant by a retailer to a standard paint in accordance with a formula correlated to a number or code identifying a particular non-standard paint color;
- (d) selection of a particular non-standard paint color on an internet web site;

the consumer of a liquid coating requiring addition of colorant to a standard paint in order to achieve a particular, non-standard, paint color still must visit a local paint retailer in order to

obtain this paint which includes ordering the paint, waiting for the addition of colorant and for mixing the paint, and transport of the paint from the retailer. It is further noted that liquid coating product generally is available only in standard volumes and that there are economic and technical reasons encouraging the purchase of a single standard volume of paint exceeding the amount required.

A need is therefore recognized for the provision of a system which would enable a customer to avoid a visit to a retailer in order to obtain liquid coating product, particularly paint of a particular, non-standard, color, and thereby avoid the time lost in this endeavor. Secondly, it is considered that a need exists for a system which would economically provide liquid coating product in quantities unrestricted by the use of standard volume containers. Thirdly, it is considered that a need exists for a system which would ensure provision of a particular, non-standard, color which is more precise than conventional practice ensuring that independent orders of that color result in paint of a color which is not appreciable different from each other.

SUMMARY OF THE INVENTION*Objects of the Invention*

The encompassing object of the principles relating to the instant invention is a system for the direct provision of liquid coating product by a supplier remote to consumers thereof which enables a consumer to place an order directly with the remote supplier for liquid coating product inclusive of a plurality of particular, non-standard, colors.

A first auxiliary objective of the principles relating to the instant invention is a system for the provision by a remote supplier of particular, non-standard, colors of liquid coating product to consumers without the addition of colorant to a standard paint by a local retailer.

A second auxiliary objective of the principles relating to the instant invention is a system for the provision by a remote supplier of each of a plurality of a particular, non-standard, colors of liquid coating product on different occasions to consumers which will not vary appreciably in color.

A third auxiliary objective of the principles relating to the instant invention is a system for the provision by a remote supplier of liquid coating product to consumers in a continuous range of volume unrestricted by the use of standard volume containers.

A first ancillary objective of the principles relating to the instant invention is a system for the provision by a remote supplier of liquid coating product to consumers which allows a consumer to select from a visual display of a plurality of particular, non-standard, colors of liquid coating product.

A second ancillary objective of the principles relating to the instant invention is a system for the provision by a remote supplier of liquid coating product to consumers which provides product information to a consumer and preferably allows a consumer to input linear dimensions for the area to be covered and receive an output in volumetric units.

Other ancillary objectives of the principles relating to the instant invention include a

system for the provision by a remote supplier of liquid coating product to consumers which minimizes inventory, is efficient of labor and transport and is hence reliable and economic.

Principles Relating to the Instant Invention

In order to achieve the objects listed above it is first recognized that a system in accordance with the principles relating to the instant invention essentially eliminates the local retailer of liquid coating product by eliminating both: the need for a customer to visit a retailer to obtain such product; and the variables introduced by the addition of colorant and mixing of paint by a local retailer. In essence it is necessary to provide a system whereby the customer may deal directly with a remote supplier of liquid coating product including paint of particular, non-standard, colors and select, order, and obtain said product without having to visit a local retailer.

In this regard it is first recognized that the colorant dispensing apparatus utilized by a manufacturer is generally more accurate, more precise, and more efficient of labor than the colorant dispensing apparatus available to local retailers. Secondly, it is recognized that computer automated systems for manufacturers facilitative of batch processing and storing detailed information regarding the product are not readily applicable to local retailers for much the same reason that better dispensing apparatus is unsuited to use by a local retailer. Elimination of the local retailer in the provision of containerized liquid coating product such as paint, primer, stain and varnish, most significantly from the standpoint of a rational business method, eliminates the inventory held by these retailers which benefit alone provides a more economic system than previously known.

Elimination of local retailers of liquid coating product requires direct communication between consumer and supplier. This may be accomplished by telecommunications such as telephone or facsimile transmission but use of the internet is specifically recommended in fulfillment of the principles relating to the instant invention because of various additional benefits enabled thereby such as providing information about product including representation of

particular, non-standard, paint colors. If the consumer knows precisely the product desired an order may readily be placed using telephone or facsimile transmission which is as fast as electronic communication via the internet. However, in addition to providing information useful in selection of product by the customer, use of the internet also facilitates the placing of an order without need for human assistance.

Voice recognition means for converting a telephonic order into a suitable digital signal for input into a computer or scanning of facsimile transmissions ostensibly could provide this capability but either is considered far more difficult to implement than an internet based ordering subsystem. Therefore, while a system in accordance with the principles relating to the instant invention requires direct communication between consumer and remote supplier for the purpose of selecting the product and placing an order, and it is recognized that this may be effected with use of conventional telecommunication, i.e. telephone or facsimile transmission, it is preferred that an ordering subsystem be internet based in order to facilitate reception of digital orders by a computer.

In order for a remote supplier to efficiently fulfill direct customer orders computer control of the production is further considered advantageous. The supplier must possess the capability of efficiently performing the service conventionally supplied by local retailers and must therefore be able to track large numbers of independent direct customer orders and coordinate the activities required in timely fulfillment of the same. Batch processing may be useful but the production subsystem is not necessarily concerned with the manufacture of known volumes of standard color paint, though this may be additionally included, but with the production of numerous, diverse, specific quantities of particular, non-standard, colors of liquid covering product in fulfillment of specific customer orders.

It is recommended that production be as largely computer automated as possible and that every customer order be associated in computer memory with the containers utilized in fulfillment of each order. This may be assisted with the use of labels bearing a bar code which may be read

by a bar code scanner or more simply with a label bearing information identifying the customer order and preferably containing all the customer order information such as customer name, delivery address, order and delivery dates, and the type, quantity, and number of containers of each liquid covering product comprising the order. Rather than relying exclusively upon bar codes and scanners it is suggested that labels bearing all this customer order information be attached to appropriate containers and further that an indication be made on the label or elsewhere on the container of the precise contents disposed therein, and preferably only as a result of the disposition of that content therein. This practice is considered to provide a quality control assurance superior to that obtainable with any system relying upon a bar code label alone upon the containers.

Delivery of the liquid coating product requires transit of the same from the remote supplier directly to the address specified by the customer. This may, conveniently for the customer, be the work site if ordered by a contractor or the home of the 'weekend painter'. While there is necessarily a time delay for transport the customer can be given a delivery date at the time of ordering and commercial shipping or transport services such as United Parcel Service are recommended. The delivery date does not necessarily need to be exact but is preferably the date by which delivery is promised. Express delivery can be available for an additional charge. Production dates based upon the anticipated time required of the delivery and the delivery date are recommended as part of the information clearly indicated upon each container utilized for fulfillment of the order.

Rather than relying upon a bar code for tracking production it is suggested that product be grouped by customer order and that batching reflect time and geography, i.e. be determined by delivery date and address, in facilitation of shipping. Batching by type of product base and production date is recommended in commencement of production. Inventory of standard color liquid covering product is assumed unless production is inclusive of manufacturing standard product and this production is further integrated with production of particular, non-standard,

colors.

It is not recommended that this inventory be kept in the form of conventional, consumer size, containers, e.g. gallon paint cans, but rather it is suggested that inventory of standard liquid coating product from a manufacturer be maintained in fifty-five gallon barrels or other comparatively large containers such as 1,000 liter 'totes' so that dispensing of both the standard product and the colorants required in production of product possessing particular, non-standard, colors may be effected by the same production line. Tanks sufficient to contain the content of a full tanker trailer or railroad tank car are suggested, connected by pipeline to appropriate dispensing machines in the production line. Regardless of the standard liquid covering product, i.e. base, inventory maintained by the producer, it is considered prudent to first batch production by the type of base and the production date.

It is secondly suggested that production be batched by shipment date and geographic area for delivery and that containerized product comprising specific orders be grouped together preferably during or before shipment batching. Batching by base material, delivery, and specific order are each hence recognized which are all further correlated to time with production, delivery and order dates. A production subsystem in accordance with the principles relating to the instant invention hence receives information from the ordering subsystem and is used to govern production in fulfillment of the orders preferably with the use of a computer and utilizing these three types of batching.

While standard volume containers are of obvious utility to a production process which maintains inventory of standard color liquid coating product it is desired to essentially eliminate both inventory of, and the need to open, sealed containers in order to add colorant in fulfillment of an order for a particular, non-standard, color liquid covering. While requiring considerable flexibility, it is considered that a production process exclusively responsive to customer orders enables maximum efficiency as inventory is eliminated and every container is run through the production process just once. Given sufficient flexibility of the production equipment, which

essentially requires computer control of the same with sufficient sophistication to recognize each specific task as dedicated to fulfillment of a particular customer order, non-standard containers may readily be utilized.

More specifically, while a set number of standard maximum volume containers is considered as a practical necessity, it is not necessary that each container be fully filled nor that rigid cylindrical containers possessing a resealable lid be utilized. Standard paint cans of one gallon size might be utilized exclusively, for example, with partial filling of one paint can per order as required to yield the precise volume ordered. And because it is not necessary to open a sealed container for addition of colorant by a local retailer other types of containers may be utilized. Flexible, expandable, plastic containers which are permanently sealed may be utilized which are less expensive than conventional paint cans, especially for smaller volumes, and the fact that the content was specifically produced to order emphasized thereby in reassurance to the customer that the order placed has been correctly fulfilled. Product samples comprised of a volume less than a pint are further enabled.

The fact that the remote supplier of the liquid covering product is adding all the colorants required of particular, non-standard, color paint means that a precision in mixing such colors greater than that known in conventional paints customized by a local retailer are readily obtained. The liquid covering product may therefore possess a consistency with regard to color, tone and shade which will ensure that the same color product ordered on different occasions will not be appreciably different. If a customer used a given paint on one occasion and decided later to use the same color in another application or in refinishing the first application they may simply place another order for that paint or even ask the supplier for identification of the paint used previously in a subsequent order. The computerized ordering subsystem preferably possesses memory in which all order information is retained and retrievable by use of various indices including customer name and address.

It is further preferred that the ordering subsystem provide product information to the

consumer including representation of particular, non-standard, paint colors, base characteristics, and pricing, and that this information be available by accessing an internet web site. Means for placing an order is necessary and is inclusive of a method of payment. Credit account of various types are suggested including input of credit 'card' numbers or direct accounts with the supplier. Assistance in selection of order quantity is recommended whereby a customer may input dimensional information regarding the surface area to be covered and an appropriate volume is outputted. Selection may be further assisted with input of type of usage e.g. interior or exterior, bathroom or kitchen versus other interior surfaces, et cetera. With appropriate software supporting an internet web site the consumer may provide digital input including video, photographic, and solid modeling representations of furnishings within rooms thereby providing spatial and color inputs which may be utilized to generate one or more suggestions of a particular color for the surfaces intended to be covered.

Lastly, while an internet web site for digital input into the ordering subsystem is preferred and is considered to best enable direct placement of orders by a consumer with the remote supplier it is also suggested that a kiosk located terminal either connected to the internet, preferably with access limited to the remote supplier's web site, or with a direct line to the remote supplier ordering subsystem, may be utilized in fulfillment of the principles relating to the instant invention. While such a kiosk located terminal would be preferably located upon the premises of a local retailer and the consumer obviously has visited the same the consumer does not rely upon the capabilities of the local retailer in adding colorant and mixing the same with base in achievement of a particular, non-standard, color and the consumer further does not need to transport the liquid covering product so ordered from a local retailer. It is also noted that an internet based web site may be designed to facilitate access an interaction by a portable, hand held, internet device using radio frequency signal transmission and reception with a public broadcast exchange (PBX).

BRIEF DESCRIPTION OF THE DRAWINGS

FIG 1 is a schematic representation of a preferred liquid coating product supply system in accordance with the principles relating to the instant invention utilizing a personal computer connected to the internet for consumer direct ordering from a remote supplier.

FIG 2 is a schematic representation of a preferred liquid coating product supply system in accordance with the principles relating to the instant invention utilizing a kiosk terminal connected to the internet for consumer direct ordering from a remote supplier.

FIG 3 is a schematic representation of a preferred liquid coating product supply system in accordance with the principles relating to the instant invention utilizing a telephone for consumer direct ordering from a remote supplier.

FIG 4 is a schematic representation of a preferred liquid coating product supply system in accordance with the principles relating to the instant invention utilizing facsimile transmission for consumer direct ordering from a remote supplier.

FIG 5 represents an exemplary label for attachment to a container holding liquid covering product ordered directly from a remote supplier by a consumer bearing information identifying the contents and other customer order information.

FIG 6 is a plain elevational view taken from the side of an empty expansible liquid product container molded in plastic.

continued

FIG 7 is a plain elevational view taken from the side of a full expansible liquid product container molded in plastic.

NOMENCLATURE

10	consumer	30	transport
11	internet terminal	31	dedicated terminal
12	personal computer	32	kiosk
13	internet connection	33	telephone
14	computer monitor	34	open container with liquid coating base
15	visual display screen	35	open container with colorant
16	internet web site	36	containerized liquid coating product
17	computer	37	scanner
19	video camera	39	confines of a local retailer
20	customer order subsystem	40	location identified by customer address
21	production subsystem	41	portable internet device
22	production line	45	supplier personnel
23	container(s)	46	facsimile transmission
24	liquid coating base	47	facsimile reception
25	colorant	50	label
26	container identifier	51	customer order information
27	shipping	52	digital code
29	confines of remote supplier	53	railroad tank car
		54	pipe line
		55	fifty-five gallon drum
		56	empty expansible container
		57	filled expansible container
		59	collar

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

FIG 1 depicts a consumer **10**, which for purposes of the instant invention is defined as a person who is interested in purchasing containerized liquid coating product including paint, primer, stain, varnish, mastic or other adhesive, et cetera, which may require the addition of colorant in order to achieve a particular, non-standard, color, in front of and operating an internet terminal **11** depicted therein as comprising a desk top type personal computer (PC) possessing a modem line connection **13** to a public telephone exchange (PBX), a monitor **14** possessing visual display screen **15** upon which an interactive web site **16** comprised of software held by a server computer may be viewed after accessing over the internet. The consumer **10** accesses the web site **16** by inputting an appropriate internet address such as the domain name, which may first be identified with the use of an internet search engine, and is able to select and order upon this web site **16** containerized liquid covering product **36** which may require colorant addition to achieve any one of a plurality of particular, non-standard, colors which are further represented upon the visual display screen **15**.

The web site **16** provides information sufficient to enable both selection and ordering of containerized liquid coating product including that which may require colorant addition to achieve a particular, non-standard, color which is conventionally available only from a local retailer and which is unavailable from a manufacturer of such product. This information preferably identifies and describes liquid coating base **24** characteristics wherein the base material is a liquid coating product of standard color which is generally available to local retailers from a manufacturer or distributor intermediary to the two. Liquid coating base **24** characteristics are determined by the use of oil, water, latex, and polymer compositions and are readily described as suited to various exterior and interior applications wherein both the surface and the environment conditions are readily recognized as criteria for determining suitability.

Oil based liquid covering product **36**, for example, is generally considered as superior for

exterior and severe environment applications while water based latex liquid covering product is generally preferred for interior applications of less than severe environments. Liquid coating bases **24** are also typically characterized by the resulting dry finish, e.g. gloss, semi-gloss, and flat, which are generally associated with composition and the environment suitable. Flat finishes are typically preferred for interior and exterior wall while semi-gloss or gloss is typically preferred for trim. Bathrooms and kitchens are considered to be moderately severe environments for which semi-gloss polymer and oil based paints are considered suitable for walls. Water based liquid coating bases **24** are generally less expensive and easier to use than oil based liquid coating bases **24**.

For the purposes of the instant disclosure it is recognized that a variety of liquid coating bases **24** are available in a relatively restricted number of standard colors from the manufacturer and that the performance of a liquid coating product **36** and hence the suitability of the same for covering a given surface depends upon the composition of the liquid coating base **24**. The surface is quite relevant to suitability. An unfinished drywall surface is generally considered to require a water based primer prior to application of the water based finish liquid coating while the same may be used on unfinished wood trim though oil bases are generally considered to be superior to water bases and unfinished metal is generally considered to require an oil based primer prior to application of an oil based finish coat. Walls are far more quickly covered with the use of a roller than a brush and if water based liquid covering product **36** is used the rollers may readily be cleaned and used again while this is generally considered impractical with an oil based liquid covering product **36** which is generally more difficult to clean up as requiring a solvent other than water.

The application, therefore, is of large importance to proper selection of an appropriate liquid covering product **36** and it is considered that information regarding such product **36** preferably be available on an internet web site **16** which may further allow a consumer **10** to input information regarding the application, e.g., location and surface condition, which the software

comprising the web site 16 may readily use as a guide for recommending liquid coating bases. The expense of any liquid coating product 36 is further determined largely by the liquid coating base 24, regardless of the particular, non-standard, color selected.

While selection of an appropriate liquid coating base 24 may be largely sufficient for the selection of an appropriate primer which will be completely obscured by the finish coat, and may similarly be largely determinative of substantially transparent liquid coating product 36 such as varnish, as well as being determinative of adhesives such as mastic which are covered by another surface such as tile, the most important characteristic of the finish coat obtained with the application of a liquid coating product 36 for most people is generally considered to be the color which is endlessly variable and invariably obtained by the addition of varying quantities of different colorants 25. The ability of a consumer 10 to select from a large number of different colors and order liquid coating product 36 of a particular, non-standard, color directly from a supplier without having a local retailer open a container of standard color paint, add colorant 25, and thoroughly mix the resulting paint which the consumer 10 must then transport from the local retailer is considered fundamental to the benefits derived from a fulfillment of the principles relating to the instant invention.

Another aspect considered important to an average consumer 11 is the appropriate quantity. A can of paint may specify a coverage range in square feet but this may be beyond the comprehension of the novice or less mathematically inclined consumer 11. While area in square feet is simply the product of the two relevant linear dimensions for a rectangular area, and most walls are rectangular, the actual usage is also dependent upon other factors such as temperature, which affects the viscosity of liquid coating product 36 and hence large the thickness of the coat applied; and the quality of the surface to coated. A given area of concrete block wall, for example, will require far more liquid coating product 36 than a drywall surface of the same area. The method of application is also relevant. Application with a brush is inherently more efficient than with a roller which absorbs liquid coating product 36 which cannot effectively be retrieved

and also requires a pan which retains unusable residue. If a consumer **11** intends to paint an apartment with the help of friends on a weekend, for example, the number of people using rollers for the application of the same liquid coating product **36** will affect the quantity effectively required. In this case the consumer will likely be more concerned with having a sufficient quantity than in usage efficiency.

Alternatively, while the consumer **11** may generally be assumed to desire ordering a sufficient volume of liquid coating product **36** for a given job, the volume left over is generally wasted and comprises an inconvenience in addition to needless expense. This is considered especially relevant if the liquid coating product **36** is of a particular, non-standard, color which was selected for a specific application and is considered useless for any other application in the foreseeable future. For all of these reasons it is considered a great benefit to the consumer **11** to be able to accurately determine the volume of liquid coating product **36** appropriate to a given application and assistance in the same which preferably accounts for as many factors as feasible is hence considered beneficial for which reason an internet based web site **16** is considered the best means of both providing information about liquid coating product **36** and assisting in the selection of both a particular, non-standard, color and a suitable volume of the same for a given application.

As a final example of the advantages available through use of an internet based web site **16** as the means for ordering liquid coating product **36** directly from a supplier, as represented in **FIG 1** and in contrast to a telephonic or facsimile transmission ordering as represented in **FIGS 3 & 4**, it is mentioned that the consumer **11** equipped with a video camera **19** operably connected to a personal computer **12** possessing a modem connection **12** to a PBX may use the same to provide visual information to an internet based web site **16** including color images of the furnishings in a given room. Similarly, photographs of a room including furnishings are easily scanned and the digital representations easily provided by the consumer **10** through a personal computer **12** possessing a modem connection **12**. And solid modeling of a room with furnishings which may be colored are also easily provided as digital input. Appropriate software comprising

the web site **16** in this case will receive digital input from the consumer **19** and provide information to assist in product selection and may suggest one or more particular, non-standard, colors for the liquid coating product **26** for ordering by the consumer **11**. With a suitable dimensional reference, such as a yardstick disposed flush against a wall for example, the software comprising the web site **16** may further estimate the area to be covered and recommend a suitable volume as well.

Regardless of the means utilized for selection and ordering of liquid covering product **36** a customer order must identify the quantity of each, a delivery address, and preferably a delivery date. This comprises information which is entered into a customer order subsystem **20** maintained by a supplier which is remote to the consumer **11**. As represented in **FIGS 1 & 2** the customer order subsystem is preferably comprised of software run by a computer **17** possessing an operable internet modem connection **13** with a PBX. In this case the web site **16** is assumed to be comprised of different software run by a server computer maintained by an internet service provider which is different that the computer **17** running the software comprising the customer order subsystem **20** though this is not strictly necessary. The two sets of software might be one and the same with the server computer maintaining the web site **16** also maintaining the customer order subsystem **20** or vice versa. In any case the two sets of software are preferably integrated to a degree which at minimum enables a consumer **11** to place an order and the remote supplier to obtain the information necessary to fulfill that order. The software comprising the web site **16** and the customer order subsystem **20** is effectively the same with this regard but it is also recognized that it is undesirable to have direct public access to the computer systems maintained by the supplier and the desirability of one or more firewalls erected against unwanted intrusion argues for the use of different software running on different computers for the web site **16** and the customer order subsystem **20**.

Similarly, while it is quite feasible to maintain both a customer order subsystem **20** and a production subsystem **21** on the same computer **17** and with the same software, it is considered

desirable to separate the two subsystems **20**, **21** with a firewall which, ideally, means that there is no direct line connection between the two. The customer order subsystem **20** preferably possesses a modem connection **13** with a PBX in order to receive orders through the internet. This means that the computer **17** running the software comprising the customer order subsystem **20** is vulnerable to unwanted intrusion by the public and while various measures are available and currently being developed it is considered impossible to guarantee imperviousness to undesired intrusion by the public into any computer **17** possessing an open modem connection **13** operably connected to the internet.

For this reason it is considered desirable to separate a computer **17** based customer order subsystem **20** from a computer **17** based production subsystem **21** despite the need for information transfer between the two. The production subsystem **21** ideally governs the production line **22** in order to achieve automation and flexibility in the same. Input data comprising appropriate customer order information is preferably utilized in two coordinated ways with regard to the production line **22**. It is suggested that the order data be compiled and processed into parameters governing production in achievement of batching with respect to the use of liquid coating base **24** which is preferably disposed into empty containers **23**, as depicted in **FIGS 2& 3** and implied in **FIGS 1 & 4**. Batching is also recommended for the addition of colorant **25** in achievement of particular, non-standard, colors and it is specifically suggested that customer order information **51** be transferred, in coordination with batching, onto each open container with colorant **35**, in identification of the content therein preferably including the customer name, delivery address, delivery date, and quantity of each liquid coating product **36** and the containers utilized in fulfillment of each order.

As shown in **FIGS 1 - 4** the containerized liquid coating product **36**, preferably carrying a label **50** with the customer order information **51** detailed above clearly printed thereon and or a bar or other digital code **52** by which such information may be readily retrieved by a scanner **37**, is transferred from the end of the production line **22** to shipping **27** from which it is then taken by

suitable transport **30** to the location identified by the customer delivery address **40**. Shipping **30**, represented simply as an area within the confines of the remote supplier **29**, preferably comprises an area in which orders are assembled and packaged for delivery 'pick-up' by a commercial transport **30** service and wherein batching by order and delivery date is preferably observed. For this purpose and for effecting a change in status, both in receipt from the production line **22** and in shipment of the order, in the production subsystem **21** shipping **27** preferably possesses a computer terminal **11** with a direct line connection to the computer **17** in which the production subsystem **21** is maintained and operated.

With regard to the preferred embodiments of the principles relating to the present invention represented in **FIGS 1 - 4** considered in contrast it is first noted that rather than utilizing an internet terminal **11** comprised of a PC **12** with an internet connection **13** and associated computer monitor **14** as represented in **FIG 1** the consumer **10** in **FIG 2** utilizes a dedicated terminal **31** located at a kiosk **32** which is preferably located within the confines of a local retailer **39**. The dedicated terminal **31** is wired so that only the web site **16** maintained in representation of the remote supplier is accessible. In this case there is hence effectively no internet and the functioning of the single accessible web site **16** maintained on a internet server computer **17** may effectively be assumed by the computer **17** also maintaining the customer order subsystem **20** within the confines of the remote supplier **29**. As represented in **FIG 3** the consumer **10** utilizes a telephone **33** to place an order with supplier personnel **45** and in **FIG 4** the consumer places an order by facsimile transmission **46** and the order is received by the remote supplier with facsimile reception **47** while in the left hand of the consumer a portable internet device **41** is held which may also be utilized for the placement of an order via a web site **16** which as represented in **FIGS 1 & 2**.

The production line **22** of the preferred embodiments of the principles relating to the present invention represented in **FIGS 1 - 4** also vary and the varying components interchanged.

As represented in **FIG 4** open containers **34** filled with liquid coating base material **24** obtained directly from a manufacturer may be utilized though it is preferred that more economic volumes such as a fifty-five gallon drum **55** or 1,000 liter 'tote' be obtained from a manufacturer in which case empty containers **23**, represented in the other figures, of suitable size for customer order fulfillment will also be required.

In **FIG 1** a railroad tank car **53** is represented from which liquid coating base **24** is transferred via a pipe line **54** into a tank in the production line **22** for dispensing into empty containers **23**. In **FIGS 2 & 3** empty containers **23** are similarly filled with liquid coating base **24** by the first dispensing unit in the production line **22** which in all cases proceeds with the dispensing of colorant **25** into an open container with liquid coating base **34** thus achieving an open container with colorant **35**. It is commented that the use of a dedicated terminal **31** located in a kiosk **32** within the confines of a local retailer **39** is considered especially appropriate for a remote supplier which is also a manufacturer and the step of filling empty containers **23** with liquid coating base material **24** may in this case more specifically comprise the addition of constituents of the liquid coating base **24** including solvent and binder from tanks holding each constituent separately.

It is also noted, with respect to all the preferred embodiments of the principles relating to the present invention as represented in **FIGS 1 - 4**, that the opening and closing of the containers **23**, as well as the blending of the contents therein resulting in the containerized liquid coating product **36** is assumed in each production line **22** and that it is preferred that closure of the open containers **35** after the addition of any colorant **25** to the open container **34** filled with liquid coating base **24** be coordinated with the operation of a container identifier **26** which is represented as the addition of a label **50** upon the open filled container **35**. It is further preferred that the container identifier **26** be controlled in coordination with control of the addition of the colorant **25** and the liquid coating material **24** by the production subsystem **20** as indicated by the direct lines between these but that the feedback data from the filling operations be utilized to ensure that the

container identifier **26** operates accurately. As a further quality control measure a spectrophotometer or colorimeter may be employed to test the color of the contents of the open filled container **35** prior to operation of the container identifier **26** and closure effecting containerized liquid coating product **36**.

As further represented in **FIG 4**, the consumer **10** is placing an order by facsimile transmission **46** through a PBX and the order is taken by facsimile reception **47** and converted into digital format with the use of a scanner **37** which also enters the order including customer information **51** into a single computer **17** operating both the software comprising the production subsystem **20** and the software comprising the production subsystem **21**. This also the case represented in **FIG 3**. In both cases entrance of customer order information **51** into the customer order subsystem **20** is preferably performed with the aid of supplier personnel **45** as represented in **FIG 3**. While this is considered inferior to use of the internet either through a web site **16** maintained on an internet server computer **17** as described above as being comparatively labor intensive since the computer **17** upon which the software comprising the customer order subsystem **20** does not require an open modem connection **13** it is not vulnerable to undesired intrusion there is no need to separate the production subsystem **21** from the customer order subsystem **20**.

FIG 5 depicts a label **50** bearing customer order information **51** which is preferably, as shown, inclusive of customer name, delivery address, delivery date, identification of liquid coating base **24** and colorant **25**, and both volume and number of containers of that particular liquid coating product **36** fulfilling the order. Other information may readily be included such as production date, the number of different liquid coating products **26** comprising the order, the volume and number of containers for the same, et cetera. A bar or other code **51** is also suggested which is readily read by a scanner **37** for verification of customer order information or retrieval of the same. Use of only a bar or other code **37** without printing any customer order

information is not particularly recommended though it is certainly considered feasible, particularly if the service utilized for transport **30** is equipped with a system which can readily scan and read the customer name and delivery address at minimum.

FIGS 6 & 7, respectively, depict an empty expansible container **56** in a collapsed condition intended for filling with liquid coating base **24** and colorant **25** in the production of liquid coating product **36** and the resulting full expansible container **57**. An embodiment of the principles relating to the present invention utilizing such an expansible container **56**, **57** preferably has preblended liquid coating base **24** dispensed from a tank with the use of a mechanism for gripping a collar **59** about an aperture in conveyance of the empty or full expansible container **56**, **57**. Because colorant **25** is added by the supplier and delivered directly to the consumer **10** and there is no need for reopening the full expansible container **57** after production in the form of containerized liquid product **36**, it is considered advantageous economically to utilize expansible containers **56**, **57** molded of flexible plastic as opposed to conventional rigid metal paint cans or rigid plastic pails for containerization. Especially for smaller volumes it is further considered that an empty expansible container **56** molded of flexible plastic which is essentially an envelope and readily folded flat prior to filling may be heat sealed and then shaken in mixing after the addition of colorant **25** in production of the containerized liquid coating product **36**. Alternatively, a resealable closure such as a threaded collar **59** and mating cap may be utilized. In either case the full plastic container **57** is not readily suited to use directly and it is anticipated that the liquid coating product **36** contained therein will require transfer to another rigid container for use and while this is considered a disadvantage in one regard it is also considered good practice generally in application of liquid coating product **36** and making the container rigid would largely the economy achieved in the use of a flaccid plastic expansible container **56**, **57** of the type depicted in **FIGS 6 & 7**.

The foregoing is intended to provide one practiced in the art with what is considered to be the best known manner of making and using a system in accordance with the principles relating to

the present invention and is not to be interpreted as in any manner as restrictive of that invention or the rights and privileges obtained by Letters Patent for which I hereby claim:

1. A business method for the direct supply for containerized liquid coating product inclusive of a plurality of particular, non-standard, colors by a supplier remote from a consumer, said business method comprising the steps of:

placing by at least one consumer of a customer order directly with a remote supplier specifying customer order information including indication of at least one liquid coating base, a color, a quantity, delivery address and identification of the customer;

entering said customer order information into a customer order subsystem comprised of software maintained on a computer;

compiling said customer order information with a computer and processing the results of this compilation to yield production parameters;

operating, in observance of said production parameters yielded by said production subsystem, a containerized liquid coating production line capable of producing a plurality of particular, non-standard, color containerized liquid coatings with a precision in the addition of colorant to liquid coating base superior to the precision readily obtainable by a conventional local retailer;

assembling containerized liquid coating product resulting from said production line fulfilling at least one individual customer order and packaging the resulting assemblage as required for shipment;

transporting each said assemblage of containerized liquid coating product fulfilling each said customer order to the delivery address specified by the consumer in placing the customer order;

whereby each said consumer obtains delivery of containerized liquid coating product directly to a specified address which may be inclusive of particular, non-standard, colors of superior consistency with regard to color without need for the addition of colorant and by a local retailer to standard volume containers of liquid coating product.

2. The method of claim 1 wherein said containerized liquid coating product is containerized in standard volume containers.
3. The method of claim 2 wherein fulfillment of said customer order includes partial filling of one of said standard volume containers.
4. The method of claim 1 wherein said containerized liquid coating product is containerized in non-standard volume expansible containers.
5. The method of claim 4 wherein said non-standard volume expansible containers are of molded plastic construction.
6. The method of claim 4 wherein said non-standard volume expansible containers possess a collar about an aperture which collar is gripped during operation of said production line.
7. The method of claim 1 further including the step of identifying customer order information upon containers holding containerized liquid coating product.
8. The method of claim 7 wherein the step of identifying customer order information upon said containers is effected with the attachment of a label to each said container bearing a digital code readable by a scanner.
9. The method of claim 7 wherein the step of identifying customer order information upon said containers is effected with the attachment of a label to each said container bearing printed customer order information.

10. The method of claim 7 wherein said customer order information is comprised of at least one of the group comprised of color of liquid coating product, customer name, delivery date, quantity of product in order, number of containers for each liquid coating product in the order.
11. The method of claim 1 wherein the operation of said production line includes the addition of blended liquid coating base to an empty container.
12. The method of claim 11 wherein said blended liquid coating base is obtained from a manufacturer in large containers ranging in volume from fifty-five gallon barrels through railroad tank cars inclusive of 1,000 liter totes.
13. The method of claim 12 wherein a pipeline is utilized for the transfer of liquid coating base from said large containers to a tank from which said liquid coating base is dispensed.
14. The method of claim 11 further including the step of identifying the type of liquid coating base added upon the container.
15. The method of claim 11 wherein the operation of said production line includes the addition of colorant to the blended liquid coating base.
16. The method of claim 15 further including the step of identifying the color resulting from the colorant added upon the container.
17. The method of claim 1 wherein the step of placing an order by a consumer directly with a supplier of liquid coating product is conducted with use of telecommunications.

18. The method of claim 17 wherein the step of placing an order by a consumer directly with a supplier of liquid coating product is conducted with use of a telephone connected to a public telephone exchange.
19. The method of claim 17 wherein the step of entering said customer order into a customer order subsystem is accomplished by supplier personnel.
20. The method of claim 17 wherein the step of placing an order by a consumer directly with a supplier of liquid coating product is conducted with use of facsimile transmission through a telephone exchange.
21. The method of claim 17 wherein the customer order subsystem and the production subsystem are both maintained on the same computer.
22. The method of claim 17 wherein the customer order subsystem is maintained on one computer and the production subsystem is maintained on a different computer.
23. The method of claim 1 wherein the step of placing an order by a consumer directly with a remote supplier of liquid coating product is conducted with use of the internet.
24. The method of claim 23 wherein an internet device is utilized to place an order directly with a remote supplier of liquid coating product.
25. The method of claim 24 wherein the step of placing an order by a consumer directly with a supplier of liquid coating product is conducted with use of a dedicated terminal with internet access only to a web site maintained by the supplier.

26. The method of claim **25** wherein the step of entering said customer order into a customer order subsystem is accomplished by the computer maintaining the customer order subsystem.
27. The method of claim **23** wherein the customer order subsystem and the production subsystem are both maintained on the same computer.
28. The method of claim **23** wherein the customer order subsystem is maintained on one computer and the production subsystem is maintained on a different computer.
29. The method of claim **23** wherein said web site provides product information assisting in the selection of liquid coating product inclusive of the identification of a plurality of particular, non-standard colors.
30. The method of claim **29** wherein said product information assisting in the selection of liquid coating product includes liquid base characteristics.
31. The method of claim **23** wherein said web site provides assistance in the selection of liquid coating product appropriate to a given job as defined by information input by the consumer.
32. The method of claim **31** wherein said assistance in the selection of liquid coating product includes the recommendation of liquid coating base.
33. The method of claim **31** wherein said assistance in the selection of liquid coating product includes the calculation of appropriate volume for a given application as defined by consumer input.

34. The method of claim **31** wherein said assistance in the selection of liquid coating product includes the suggestion of at least one particular, non-standard, color based upon digital input by said consumer, said digital input including but not limited to digital video input, digital photograph input and digital solid modeling input.

ABSTRACT OF THE DISCLOSURE

A consumer places an order for liquid coating product directly with a supplier via the internet or telecommunications. Customer order information is entered into a customer order subsystem on a computer, is compiled, processed and then utilized by a production subsystem governing a production line for containerized liquid coating product inclusive of all colorants required to obtain particular, non-standard, colors. Batching with regard to liquid coating base, delivery date and geographic delivery address is suggested. Shipping assemblies and packages specific customer orders for commercial transport service directly to the delivery address given by the consumer. Customer order information including verified content is indicated by a container identifier in assurance of quality. Attachment of a label upon each container after filling with blended liquid coating base and colorant with information printed and/or a bar or other digital code is suggested. Superior precision in colorant addition than that obtainable by a local retailer ensures consistent color, tone, and shade for particular, non-standard, colors in diverse containers and orders. Standard containers may be partially filled and non-standard volume plastic containers may also be utilized in fulfillment of precise order quantities. Production to order minimizes inventory. Product information including digital assistance in selection of base, color, and volume for a given application and placing an order is readily provided on an internet web site or a dedicated terminal in a kiosk.

FIG 1




FIG 2




FIG 3




FIG 5

Customer Name:	Joseph Doe
Delivery Address:	123 Blackrock Road Finchburg, AZ 76543
Deliver Date:	8 June 2000
Product 1 Base:	Flat Latex
Product 1 Color:	Vermillion
Product 1 Code:	V-9543-26
Product 1 Qty.:	3.8 Gallons (4) containers




FIG 6





FIG 7




In the United States Patent and Trademark Office


Applicant: John L. Howes
Title: Containerized Liquid Coating Product Supply Business Method

DECLARATION

I, John L. Howes, citizen of the United States of America, resident of Gross Pointe, Michigan, further possessing as legal residential and postal address 19967 Doyle Place East, Grosse Pointe Woods, MI 48236, hereby declare that I am the sole inventor and believe that I am the original and first inventor of the subject matter which is claimed and for which a patent is sought, said subject matter being expressed in the specification contained in the Application for Patent attached hereto entitled 'Containerized Liquid Coating Product Supply Business Method'. I further declare that I have reviewed and understand the contents of said specification, including the claims, and I acknowledge the duty to disclose information which is material to the examination of the application in accordance with 37 CFR 1.56(a).

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Title 18 USC 1001, and that such willful false statements may jeopardize the validity of the Application or any Patent issued thereon.


John L. Howes


dated


005040-1924360

In the United States Patent and Trademark Office

Applicant: John L. Howes
Title: Containerized Liquid Coating Product Supply Business Method

POWER OF ATTORNEY

I, John L. Howes, the undersigned, sole inventor of the present subject matter disclosed in the attached Application for Patent entitled 'Containerized Liquid Coating Product Supply Business Method' and Applicant for the same, do hereby affirm that the services of Peter Gibson, registered Patent Agent No. 34,605, have been employed for the preparation and filing of said application for patent and further, do respectfully request that Peter Gibson be recognized by the Patent and Trademark Office as the duly authorized Agent of Record for filing and prosecution of the application for patent entitled 'Containerized Liquid Coating Product Supply Business Method' as of this date and until further notice to the contrary.



John L. Howes

4/3/2000
dated

I, Peter Gibson, registered Patent Agent No. 34,605, do hereby affirm acceptance of the responsibility for the preparation, filing and prosecution of the enclosed Application for Patent entitled 'Containerized Liquid Coating Product Supply Business Method' and do hereby respectfully request that all correspondence emanating from the U.S. Patent Office concerning said application be addressed to:

Peter Gibson, #307
6316 Greenspring Avenue
Baltimore, MD 21209

Phone No.: 410\358-5912.

 Peter Gibson, Reg. # 34.605 APRIL 6, 2000